

### 1.Identification of the substance/mixture and of the company

# 1.1Product identifiers

Product name	TECKNO A1618/TECKNO A1618 5:5/TECKNO A1618 3:7		
Common name	Cetearyl Alcohol ,A1618		
CAS-No. 67762-27-0			
1 2Relevant identified uses of the substance or mixture and uses advised against			

### **1.2Relevant identified uses of the substance or mixture and uses advised against**

Relevant	identified	Production	of	alkyl	amines,	aluminum	rolling	lubricants,tertiary
uses		amines,cosn	netio	cs,defo	rmers,etho	oxylates,hali	des/mer	captans,
		methacrylat	es,p	olymer	ization st	abilizers, sulf	ates, su	lfated ethoxylates.
		etc.						
Uses advis	ed against	No data ava	labl	е				

# 1.3 Details of the supplier of the safety data sheet

1.5 Details of the supplier of the safety data sheet		
Company	Teck Guan (China) Ltd	
Address	No. 1 Teck Guan Road, Rugao Port, Jiangsu, China	
Postal Code	226532	
Emergency telephone	+86-513-87589955	
Website	www.teckguan.com/cn	

# 2. Hazards identification

### 2.1GHS classification

Not a hazardous substance or mixture

### 2.2GHS Lable elements, including precautionary statements

Not a hazardous substance or mixture

# 2.3Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

# 3.Comoposition/information on ingredients

Components	CAS No.	Percent
Cetearyl /Stearyl Alcohol	67762-27-0	≥98

# 4.First aid measures

### 4.1Description of first aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in
	attendance. Move out of dangerous area.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial
	respiration. Consult a physician.
In case of skin contact	Wash off with soap and plenty of water. Consult a physician.
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult
	a physician.
If swallowed	Never give anything by mouth to an unconscious person. Rinse mouth
	with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11



4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media.

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust.For personal protection see section 8.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### 7. Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.Provide appropriate exhaust ventilation at places where dust is formed.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Nitrogen blanket recommended for large tanks  $(apacity 1000 \text{ m}^3 \text{ or higher})$ .

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. Exposure controls/Personal protection

### 8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SDS: A1618EN Date of issue: 2023/01/04

Revision date: 2023/01/04

Version: 6.00 Page: 2/7



# eckno Teck Guan (China) Ltd

Personal protective	ve equipment
Eye/face	Safety glasses with side-shields conforming to EN166 Use equipment for eye
protection	protection tested and approved under appropriate government standards
	such as NIOSH (US) or EN 166(EU)
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove
	removal technique (without touching glove's outer surface) to avoid skin
	contact with this product. Dispose of contaminated gloves after use in
	accordance with applicable laws and good laboratory practices. Wash and dry
	hands.
	Full contact
	Material: Nitrile rubber
	Minimum layer thickness: 0.11 mm
	Break through time: 480 min
	Material tested:Camatril <sup>®</sup> (KCL 730 / Aldrich Z677442, Size M)
	Splash contact
	Material: Nitrile rubber
	Minimum layer thickness: 0.11 mm
	Break through time: 480 min
	Material tested:Dermatril <sup>®</sup> (KCL 740 / Aldrich Z677272, Size M)
	test method:EN374
	If used in solution, or mixed with other substances, and under conditions
	which differ from EN 374, contact the supplier of the CE approved gloves. This
	recommendation is advisory only and must be evaluated by an industrial
	hygienist and safety officer familiar with the specific situation of anticipated
	use by our customers. It should not be construed as offering an approval for
	any specific use scenario.
Body protection	Impervious clothing, The type of protective equipment must be selected
	according to the concentration and amount of the dangerous substance at
	the specific workplace.
Respiratory	Respiratory protection is not required. Where protection from nuisance levels
protection	of dusts are desired, , use type N95 (US) or type P1 (EN 143) dust masks.
	Use respirators and components tested and approved under
	appropriate government standards such as NIOSH (US) or CEN (EU).

**MATERIAL SAFETY DATA SHEET** 

#### nalr vrotoctivo oquin nt

# 9. Physical and chemical properties

### 9.1Information on basic physical and chemical properties

	• •
Appearance	Solid@ 72°F ( 22°C )
Colour	White
Odour	Mild scent
Odour Threshold	No data available
PH	No data available
Melting point/freezing point	49-56°C (122°F)
Initial boiling point and boiling range	>330°C (626°F) @ 760 mmHg (101.3kPa)



# no Teck Guan (China) Ltd

# MATERIAL SAFETY DATA SHEET

Flash point	170℃(338 °F) - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 8 %(V)
	Lower explosion limit: 1 %(V)
Vapour pressure	≪1mmHg@72°F (22℃)
Vapour density	8.37-(Air=1.0)
Relative density	0.818g/mL@25℃(77 °F)
Water solubility	insoluble
Partition coefficient: n-octanol/water	Log Pow: 6.73@25°C(77 °F)
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	11cp@60℃(140 °F)

### 10.Stability and reactivity

10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### **10.3** Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

**10.5 Incompatible materials** 

Strong oxidizing agents

### **10.6 Hazardous decomposition products**

Other decomposition products - No data available

### **11.Toxicological information**

### 11.1Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - > 5,000 mg/kg - (OECD Test Guideline 401)

Inhalation: No data available

LD50 Dermal - Rabbit - male and female - >2600 mg/kg - (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h -(OECD Test Guideline 404)

### Serious eye damage/eye irritation

Irritating to eyes.

Eyes - Rabbit

Result: Irritating to eyes. - 72 h - (OECD Test Guideline 405)

# Respiratory or skin sensitisation

Maximisation Test (GPMT) - Guinea pig

Result: Did not cause sensitisation on laboratory animals. (OECD Test Guideline 406)



Germ cell mutagenicity		
Not mutagenic in Ames Test.		
Ames test		
S. typhimurium		
Result: negative		
Carcinogenicity		
IARC: No component of this product present at levels greater than or equal to 0.1% is identified		
as probable, possible or confirmed human carcinogen by IARC.		
Reproductive toxicity		
No data available		
Specific target organ toxicity -single exposure		
No data available		
Specific target organ toxicity -repeated exposure		
No data available		
Aspiration hazard		
No data available		
Additional Information		
Repeated dose toxicity-Rat - male and female - Oral - NOAEL : 4257 mg/kg		
RTECS: JR5775000		
To the best of our knowledge, the chemical, physical, and toxicological properties have not been		
thoroughly investigated.		
12.Ecological information		
12.Ecological information 12.1Toxicity		

	semi-static test LC50 - Oncomynchus mykiss (fambow trout) - >
	0.4 mg/l - 96 h (OECD Test Guideline 203)
	Remarks: Aquatic toxicity is unlikely due to low solubility.
	Toxicity to algae static test EC50 - Desmodesmus subspicatus
	(Scenedesmus subspicatus) - >1,000 mg/l - 96 h
	(OECD Test Guideline 201)
Toxicity to daphnia and	No data available
other aquatic invertebrates	
Toxicity to algae	No data available
Toxicity to bacteria	No data available

### 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d
	Result: 82.4 % - Readily biodegradable
	(OECD Test Guideline 301B)

### 12.3 Bioaccumulative potential

Bioaccumulation	Leuciscus idus melanotus - 3d - 48 µg/l
	Bioconcentration factor (BCF): 1,230

# 12.4 Mobility in soil

No data available

SDS: A1618EN Date of issue: 2023/01/04



### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

No data available

### **13.**Disposal considerations

### 13.1 Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

### 14.Transport information

Item	ADR	IMDG	ΙΑΤΑ
UN number	-	-	-
Proper shipping name	Not dangerous goods	Not dangerous goods	Not dangerous goods
Class	-	-	-
Packing group	-	-	-
Environmental hazards	None	None	None
Special precautions	No data available		

### **15.Regulatory information**

Inventory status(1 "Yes" means that all ingredients of the product comply with the substance List regulations of the host country)

Country(s) or	Inventory name	On inventory
region		(yes/no) 1
Australia	Australian Inventory of Chemical Substances. (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	Yes
	Substances (EINECS)	
Europe European List of Notified Chemical Substances (ELINCS)		No
Japan Inventory of Existing and New Chemical Substances (ENCS)		Yes
Korea Existing Chemicals List (ECL)		Yes
New Zealand New Zealand Inventory		Yes
Philippines Philippine inventory of Chemicals and Chemical Substances (PICCS)		Yes
Switzerland Switzerland FOPH		No
United States	Toxic Substances Control Act (TSCA) Inventory	Yes
& Puerto Pico		

# 16.Other information

Disclaimer:

The submission of the MSDS may be required by law, but this is not an assertion that the substance is hazardous when used in accordance with proper safety practices and normal



# eckno Teck Guan (China) Ltd

# MATERIAL SAFETY DATA SHEET

handling procedures. Data supplied are for use only in connection with occupational safety and health.The information contained herein has been compiled from sources considered to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific product designated herein, and does not relate to use in combination with any other material of any other process. We assume no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the controlled product.